AUTHOR INDEX OF VOLUME 34

Abate, T. The identity and bionomics of insect vectors of tristeza and greening diseases of citrus in Ethiopia, 19

Afzal, Muhammad *see* Khalique, Feeroza, 333

Agarwala, B. K and Ghosh, A. K. Prey records of aphidophagous Coccinellidae in India. A review and bibliography, 1

Agrawal, Hari Om *see* Misra, S. S., 199

Ahmed, Khalique *see* Khalique, Feeroza, 333

Ajri, D. S. *see* Ghorpade, S. A., 48

Akhtar, M. A. and Sarwar, M. Mulberry germplasm resistance to bacterial blight (*Pseudomonas syringae* pv. mori) in Pakistan, 227

Ali, Masood. Weed suppressing ability and productivity of short duration legumes intercropped with pigeonpea under rainfed conditions, 384

Ali, M. Ibrahim. A survey of the insect pests of soybean in Northern Bangladesh, their damage and occurrence, 328

Amatobi, C. I., Apeji, S. A. and Oyidi, O. Effects of farming practices on populations of two grasshopper pests (*Kraussaria angulifra* Krauss and *Oedaleus senegalensis* Krauss (Orthoptera: Acrididae) in Northern Nigeria, 173

Amin, P. W. *see* Wightman, J. A., 218

Anioke, S. C. Screening of okra for resistance to *Sylepta derogata* Fabricius (Pyralidae) in Eastern Nigeria, 421

Apeji, S. A. *see* Amatobi, C. I., 173

Balasubrahmanyam, V. R., Chaurasia, R. S., Tripathi, R. D. and Johri, J. K. Evaluation of some fungicides and antibiotics against fungal and bacterial pathogens of betelvine (*Piper betle* L.), 315

Bardner, R. and Mcharo, E. Y. Confirmation of resistance of the coffee leafminer *Leucoptera meyricki* Ghesquière (Lepidoptera, Lyonetiidae) to organophosphate insecticide sprays in Tanzania, 52

Bashir, Muhammad and Malik, Bashir Ahmed Malik. Diseases of major pulse crops in Pakistan – a review, 309

Bedendo, I. P. *see* Prabhu, A. S., 85

Bhadauria, S. S. *see* Kolhe, S. S., 102

Bhatnagar, V. S. *see* Pawar, C. S., 39

Bhattacharya, A., Chowdhury, A., Das, A. K., Dasgupta, B. and Sengupta, K. Studies on the foltap residue in betelvine leaves, 154

Bhumannavar, B. S., Singh, S. P. and Sulladmath, V. V. Evaluation of citrus germplasm for resistance to the oriental red mite, *Eutetranychus orientalis* (Klein) under tropical humid South Indian conditions, 193

Bruhn, John A. *see* Leeper, John R., 404

Campion, D. G. *see* El-Adl, M. A., 210

Carson, A. G. Development and testing of a control package for *Striga hermonthica* on small-scale holdings in the Gambia, 97

Carson, A. G. Detailed survey of the parasitic weed *Striga hermonthica* in The Gambia, 162

Chadd, E. M. and Matthews, G. A. The evaluation of an electrostatic spraying method for mosquito control, 72

Chakravarthy, A. K. Bird predators of pod borers of field bean (*Lablab niger* Medick), 395

Chandrasena, J. P. N. R. Floristic composition and abundance of rice field weeds in four low-country Wet Zone districts of Sri Lanka, 278

Chandrasena, J. P. N. R. and Dhammika, W. H. Y. Studies on the biology of *Panicum repens* L. 1. Comparative morphological development of three selections from different geographical localities in Sri Lanka, 291

Chauhan, M. S., Yadav, J. P. S. and Gangopadhyay, S. Chemical control of soilborne fungal pathogen complex of seedling cotton, 159

Chaurasia, R. S. *see* Balasubrahmanyam, V. R., 315

Chelliah, S. *see* Natarajan, N., 413

Chinodya, R. *see* Hillocks, R. J., 303

Chowdhury, A. *see* Bhattacharya, A., 154

Cowell, C. and Lavers, A. The flow rate of formulations through some typical hand-held ultra low volume spinning disc atomizers, 150

Cox, P. G. and Kasimani, C. Control of taro leaf blight using metalaxyl, 81

Dabek, A. J. *see* Martin, P. J., 271

Das, A. K. *see* Bhattacharya, A., 154

Dasgupta, B. *see* Bhattacharya, A., 154

David, B. V. *see* Peter, C., 76

David, B. V. *see* Peter, Clement, 402

David, B. V. *see* Peter, C., 24

David, H., Easwaramoorthy, S., Nandagopal, V., Kurup, N. K., Shanmugasundaram, M. and Santhalakshmi, G. Larvipositional behaviour of *Sturmiopsis inferens* tns. (Tachinidae: diptera) on sugarcane shoot borer in India, 267

Dhammika, W. H. Y. *see* Chandrasena, J. P. N. R., 291

Dhankar, B. S. Progress in resistance studies in the eggplant (*Solanum melongena* L.) against shoot and fruit borer (*Leucinodes orbonalis Guen.*) infestation, 343

Dina, S. O. Timing the application of deltamethrin and cypermethrin for the control of insect pests of cowpea *Vigna unguiculata* (L.) Walp, 65

Dogra, G. S. *see* Sharma, J. P., 189

Easwaramoorthy, S. and Jayaraj, S. Studies on sugarcane shoot borer, *Chilo infuscatellus* Snell, and its viral pathogen in relation to season of planting and age of the crop, 426

Easwaramoorthy, S. *see* David, H., 267

El-Adl, M. A., Hosny, M. M. and Campion, D. G. Mating disruption for the control of pink bollworm *Pectinophora gossypiella* (Saunders) in the delta cotton growing area of Egypt, 210

Faleiro, J. R. and Raj, S. Yield-infestation relationship and economic injury level for okra leafhopper management in India, 27

Fauquet, C., Fargette, D. and Thouvenel, J.-C. Some aspects of the epidemiology of African cassava mosaic virus in Ivory Coast, 92

Fauquet, C. *see* Fargette, D., 89

Fargette, D., Fauquet, C. and Thouvenel, J.-C. Yield losses induced by African cassava mosaic virus in relation to the mode and the date of infection, 89

Fargette, D. *see* Fauquet, C., 92

Flores, D. *see* Warham, E. J., 373

Gahukar, R. T. Problems and perspectives of pest management in the Sahel: a case study of pearl millet, 35

Gangopadhyay, S. *see* Chauhan, M. S., 159

Gangwar, S. K. and Lal, Lakshman. Phytophagous mites in the North Eastern Hill Region of India, 438

Ghorpade, S. A., Jadhav, S. S. and Ajri, D. S. Biology of rhizome fly, *Mimegralla coeruleifrons* Macquart (Micropezidae: Diptera) in India, a pest of turmeric and ginger crops, 48

Ghosh, A. K. *see* Agarwala, B. K., 1

Giga, D. P. *see* Takavarasha, B., 429

Green, S. K., Kuo, Y. J. and Lee D. R. Uneven distribution of two potyviruses (feathery mottle virus and sweet potato latent virus) in sweet potato plants and its implication on virus indexing of meristem derived plants, 298

Grieshop, James I. and Winter, David. Communication for safety's sake: visual communication materials for pesticide users in Latin America, 249

Griffith, J. S. R. and Haskell, P. T. Culture of *Heliothis armigera* (Lepidoptera: Noctuidae) using novel group rearing techniques and a semi-artificial diet, 349

Gupta, M. P. *see* Ram, Shri, 435

Hamed, M., Khattak, S. U. and Sattar, A. Pulse susceptibility to *Callosobruchus maculatus* (F.) (Bruchidae: Coleoptera) in Pakistan, 31

Hammouda, A. M. Fungal diseases of vegetable marrow and their control in the southern region of Oman (Dhofar), 156

Hammouda, A. M. Cigar-end disease of banana in the southern region of Oman (Dhofar), 382

Haskell, P. T. *see* Griffith, J. S. R., 349

Hillocks, R. J. and Chinodya, R. Current status of breeding cotton for resistance to bacterial blight in Zimbabwe, 303

Hodgson, C. J. *see* Salifu, A. B., 180

Hodgson, C. J. *see* Salifu, A. B., 185

Holloway, Graham J. Susceptibility of varieties of sorghum (*Sorghum bicolor* Moench.) grain to different geographical strains of *Sitophilus oryzae* L., 423
Hosny, M. M. *see* El-Adl, M. A., 210
Hughes, David and Rhind, Duncan. Control of the millet head worm in the Western Sudan, 346
Hussein, M. Y. and Kameldeer, A. K. A field study on the oviposition of *Ostrinia furnacalis* Guenee (Lepidoptera: Pyralidae) on maize in Selangor, Malaysia, 44

Ijani, A. S. M. and Mmbaga, M. T. Studies on the control of root knot nematodes (*Meloidogyne* species) on tomato in Tanzania using marigold plants (*Tagetes* species), ethylene dibromide and aldicarb, 147

Jackai, L. E. N. and Raulston, J. R. Rearing the legume pod borer, *Maruca testulalis*, Geyer (Lepidoptera: Pyralidae) on artificial diet, 168
Jadhav, S. S. *see* Ghorpade, S. A., 48
Jayanth, K. P. Successful biological control of water hyacinth (*Eichhornia Crassipes*) by *Neochetina eichhorniae* (Coleoptera: curculionidae) in Bangalore, India, 263
Jayappa, B. G. and Lingappa, S. Causes of resistance to *Aphis craccivora* Koch. in cowpea germplasm in India, 59
Jayappa, B. G. and Lingappa, S. Screening of cowpea germplasm for resistance to *Aphis craccivora* Koch. in India, 62
Jayaraj, S. *see* Easwaramoorthy, S., 426
Jayaraj, S. *see* Rabindra, R. J., 441
Jeyarajan, R. *see* Lakshmanan, P., 106
Johri, J. K. *see* Balasubrahmanyam, V. R., 315
Joseph, D. *see* Philip, B. M., 106
Joseph, T. *see* Philip, B. M., 106

Kalode, M. B. *see* Krishnaiah, N. V., 68
Kameldeer, A. K. *see* Hussein, M. Y., 44
Kasimani, C. *see* Cox, P. G., 81
Kavadia, V. S. *see* Pareek, B. L., 15
Khajuria, D. R. *see* Sharma, J. P., 189
Khalique, Feeroza, Ahmed, Khalique, Afzal, Muhammad, Malik, Bashir Ahmed and Riaz, Mohammad. Protection of stored chickpea, *Cicer arietinum* L. from attack of *Callosobruchus chinensis* L. (Coleoptera: bruchidae), 333
Khan, Fasahat A. Root-knot nematode resistance in selected cultivars of maize in northern Nigeria, 393
Khattak, S. U. *see* Hamed, M., 31
Kolhe, S. S., Mittra, B. N. and Bhadauria, S. S. Effect of weed control and levels of nitrogen on performance of transplanted rice and nutrients uptake by rice and weeds, 102
Krishnaiah, N. V., Kalode, M. B. and Reddy, A. Ashok. Recent approaches in root-zone placement of insecticides for effective rice pest control, 68
Krishnakumar, N. K. and Srinivasan, K. Seasonality of *Eurytoma* sp.—a parasitoid on okra petiole maggot, *Melanagromyza hibisci* Spencer, 331
Kumar, D. Raj. *see* Laker, H. A., 318
Kuo, Y. J. *see* Green, S. K., 298
Kurup, N. K. *see* David, H., 267

Laker, H. A., Sreenivasan, T. N. and Kumar, D. Raj. Present status of witches' broom disease of cocoa in Trinidad, 318
Lakkundi, N. H. *see* Srikanth, J., 335
Lal, Lakshman. *see* Gangwar, S. K., 438
Lakshmanan, P., Jeyarajan, R. and Palanisamy, S. Sources of multiple resistance to major diseases of sorghum in Tamil Nadu, India, 106
Lakshmanan, P., Manoharan, T. and Mohan, S. Role of mealy bug on sheath rot disease manifestation in rice plants, 356
Laurense, Alida A. *see* Zethner, Ole, 407
Lavers, A. *see* Cowell, C., 150
Lee, D. R. *see* Green, S. K., 298
Leeper, John R., Raffa, Kenneth F. and Bruhn, John A. Analysis of mortality characterization in developing LD values from topical application test results, 404
Lingappa, S. *see* Jayappa, B. G., 59
Lingappa, S. *see* Jayappa, B. G., 62

McFarlane, J. A. Pest management strategies for *Prostephanus truncatus* (Horn) (Coleoptera: Bostrichidae) as a pest of stored maize grain: present status and prospects, 121
Mcharo, E. Y. *see* Bardner, R., 52
Malik, Bashir Ahmed *see* Bashir, Muhammad, 309
Malik, Bashir Ahmed *see* Khalique, Feeroza, 333
Manikowski, S. Aerial spraying of quelea, 133
Manoharan, T. *see* Lakshmanan, P., 356
Martin, P. J. and Dabek, A. J. The role of agronomic factors in the juvenile decline conditions of clove trees in Zanzibar, 271
Matthews, G. A. *see* Chadd, E. M., 72
Mittra, B. N. *see* Kolhe, S. S., 102
Misra, S. S. and Agrawal, Hari Om. Potato pests in India and their control, 199
Mmbaga, M. T. *see* Ijani, A. S. M., 147
Mohammed, A. B. *see* Sridhar, P., 432
Mohan, S. *see* Lakshmanan, P., 356
Moody, Keith *see* Rao, A. N., 288
Moyal, Pascal. Crop losses due to insects in the savannah area of Ivory Coast: a review, 454
Muenstermann, A., Rinkanya, F. G. R. and Tome, N. R. Tick control in small ruminants with a Cypermethrin 'pour-on' in Kenya, 399

Nandagopal, V. *see* David, H., 267
Natarajan, N. and Babu, P. C. Sundara. Seasonal occurrence of *Heliothis armigera* Hb. infesting sorghum panicles, 338
Natarajan, N. and Babu, P. C. Sundara. Culture of the sorghum earhead bug, *Calocoris angustus* Lethierry in the laboratory, 356
Natarajan, N., Babu, P. C. Sundara and Chelliah, S. Influence of weather factors on sorghum earhead bug *Calocoris angustatus* Lethierry incidence, 413
Nyambo, Brigitte T. A comparative assessment of pheromone and light traps as tools for monitoring *Heliothis armigera* in Tanzania, 448

Ofuya, T. I. Varietal resistance of cowpeas to the cowpea aphid, *Aphis craccivora* Koch (Homoptera: Aphididae) under field and screenhouse conditions in Nigeria, 445
Oyidi, O. *see* Amatobi, C. I., 173

Palanisamy, S. *see* Lakshmanan, P., 106
Pareek, B. L. and Kavadia, V. S. Economic insecticidal control of two major pests of musk melon, *Cucumis melo*, the pumpkin beetle, *Raphidopalpa* spp. and the fruitfly, *Dacus cucurbitae* in Rajasthan, India, 15
Paul, S. *see* Philip, B. M., 106
Pawar, C. S., Sithanantham, S., Bhatnagar, V. S., Srivastava, C. P. and Reed, W. The development of sex pheromone trapping of *Heliothis armigera* at ICRISAT, India, 39
Peter, C. and David, B. V. Residual toxicity of some insecticides on groundnut to the first and third instar larvae of *Spodoptera litura* F. (Lepidoptera: Noctuidae), 24
Peter, C. and David, B. V. Evaluation of some insecticides for the control of major insect pests of okra and their side effects, 76
Peter, Clement and David, B. V. Comparative toxicity of some insecticides to *Apanteles taragamae* (Hymenoptera: Braconidae), 402
Philip, B. M., Paul, S. and Joseph, D. and T. A multiple embedding virus of *Parasa lepida* (Cramer) (Limacodidae: Lepidoptera) in India, 106
Prabhu, A. S. and Bedendo, I. P. Glume blight of rice in Brazil: etiology, varietal reaction and loss estimates, 85

Rabindra, R. J. and Jayaraj, S. Efficacy of nuclear polyhedrosis virus with adjuvants as high volume and ultra low volume applications against *Heliothis armigera* Hbn. on chickpea, 441
Raffa, Kenneth F. *see* Leeper, John R., 404
Raj, G. Govinda *see* Srihari, K., 141
Raj, S. *see* Faleiro, J. R., 27
Ram, Shri and Gupta, M. P. Effect of nitrogen, phosphorous and potassium on the population of insect pests of fodder mustard (*Brassica campestris* L.) and its seed yield in India, 435
Rao, A. N. and Moody, Keith. Dissemination of weeds with rice seedlings, 288
Rao, G. S. Prasada *see* Verghese, A., 55
Raulston, J. R. *see* Jackai, L. E. N., 168
Reddy, A. Ashok *see* Krishnaiah, N. V., 68
Reed, W. *see* Pawar, C. S., 39
Rhind, Duncan *see* Hughes, David, 346

Riaz, Mohammad *see* Khalique, Feeroza, 333
Rinkanya, F. G. R. and Tatchell, R. J. Evaluation of the efficacy of different pour-on formulations against cattle ticks in Kenya, 324
Rinkanya, F. G. R. *see* Muenstermann, A., 399

Salifu, A. B., Hodgson, C. J. and Singh, S. R. Mechanism of resistance in cowpea (*Vigna unguiculata* (L.) Walp.) genotype, TVx 3236, to the Bean Flower Thrips, *Megalurothrips sjostedti* (Trybom) (Thysanoptera: Thripidae) 1. Ovipositional nonpreference, 180
Salifu, A. B., Singh, S. R. and Hodgson, C. J. Mechanism of resistance in cowpea (*Vigna unguiculata* (L.) Walp.) genotype, TVx 3236, to the bean flower thrips, *Megalurothrips sjostedti* (Trybom) (Thysanoptera: Thripidae) 2. Nonpreference and antibiosis, 185
Santhalakshmi, G. *see* David, H., 267
Sarwar, M. *see* Akhtar, M. A., 227
Sattar, A. *see* Hamed, M., 31
Sengupta, K. *see* Bhattacharya, A., 154
Shaner, Dale L. Absorption and translocation of imazapyr in *Imperata cylindrica* (L.) Raeuschel and effects on growth and water usage, 388
Shanmugasundaram, M. *see* David, H., 267
Sharma, J. P., Khajuria, D. R. and Dogra, G. S. Studies on the apple fruit moth, *Argyresthia conjugella* Zeller (Yponomeutidae: lepidoptera): identification, distribution and extent of damage in India, 189
Singh, S. P. *see* Bhumannavar, B. S., 193
Singh, S. R. *see* Salifu, A. B., 180
Singh, S. R. *see* Salifu, A. B., 185
Sithanantham, S. *see* Pawar, C. S., 39
Sreenivasan, T. N. *see* Laker, H. A., 318
Sridhar, P., Urs, K. C. Devaraja and Mohammed, A. B. Relationship between pheromone trap catches of male moths and the population of egg-masses of *Spodoptera litura* (F.) in groundnut crops, 432
Srihari, K. and Raj, G. Govinda. Effective period for control of *Bandicota bengalensis* in paddy fields, 141
Srikanth, J. and Lakkundi, N. H. A method for estimating populations of *Aphis craccivora* Koch on cowpea, 335
Srinivasan, K. *see* Krishnakumar, N. K., 331
Srivastava, C. P. *see* Pawar, C. S., 39
Sulladmath, V. V. *see* Bhumannavar, B. S., 193
Sundara Babu, P. C. *see* Natarajan, N., 338
Sundara Babu, P. C. *see* Natarajan, N., 356
Sundara Babu, P. C. *see* Natarajan, N., 413

Takavarasha, B. and Giga, D. P. The mortality of pearly scale cysts, *Sphaeraspis salisburiensis* at different temperature and moisture conditions in Zimbabwe, 429
Tandon, P. L. *see* Verghese, A., 55
Tatchell, R. J. A study of the effect of tick infestation on liveweight gain of cattle in the Sudan, 165
Tatchell, R. J. *see* Rinkanya, F. G. R., 324
Thouvenel, J.-C. *see* Fauquet, C., 92
Thouvenel, J.-C. *see* Fargette, D., 89
Tome, N. R. *see* Muenstermann, A., 399
Tripathi, R. D. *see* Balasubrahmanyam, V. R., 315

Ullah, Mohammad. Major insect pests and phytophagous mites associated with deciduous fruit orchards in Afghanistan, 215
Urs, K. C. Devaraja *see* Sridhar, P., 432

Verghese, A., Tandon, P. L. and Rao, G. S. Prasada. Ecological studies relevant to the management of *Thrips palmi* Karny on mango in India, 55

Warham, E. J. and Flores, D. Farmer surveys on the relation of agronomic practices to Karnal bunt disease of wheat in the Yaqui Valley, Mexico, 373
Wightman, J. A. and Amin, P. W. Groundnut pests and their control in the semi-arid tropics, 218
Winter, David *see* Grieshop, James I., 249
Yadav, J. P. S. *see* Chauhan, M. S., 159

Zethner, Ole and Laurense, Alida A. The economic importance and control of the adult blister beetle *Psalydolytta fusca* Olivier (Coleoptera: Meloidae), 407